IN THE CLAIMS

Please add new claims 26-33 as follows:

about 1800 nucleotide bases that is complementary to cytoplasmic messenger RNA of a mammal that is present in brain cells but not in the cells of the liver, kidney, gut, lung, heart or skeletal muscle of the same species, said messenger RNA encoding a neuroactive proteinoid.

- 27. The DNA of claim 26 that is double stranded.
- 28. The DNA of claim 26 whose complementary messenger RNA has a number average of 160-10,000 nucleotide bases.
- 29. Isolated and purified double stranded DNA having about 500 to about 1800 nucleotide base pairs that is complementary to mammalian cytoplasmic messenger RNA, said messenger RNA having (a) having a number average of 160-10,000 nucleotide bases, (b) being present in brain cells but not in the cells of the liver, kidney, gut, lung, heart or skeletal muscle of the same species, and (c) encoding a neuroactive proteinoid.
- 30. The DNA of claim 29 whose complementary messenger RNA contains 1600-4000 nucleotide bases.
- sequence selected from the group consisting of sequences shown in figure 1C-1 and 1C-2, Figs. 4C-1 and 4C-2, Figs. 7C-1 and 7C-2 and figure 8B-1 and 8B-2.
- 32. Isolated and purified mammalian messenger RNA, said RNA:
- (a) being present in brain cells but not in the cells of the liver, kidney, gut, lungs, heart or skeletal muscle of the same species;
 - (b) encoding a neuroactive proteinoid;

 β_c^2